



Alston & Bird LLP

Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
(704) 444-1000
Fax (704) 444-1111

March 20, 2006

Certificate

MAR 24 2006

of Correction

Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Re: United States Patent for *Controlled Release Composite*
Application No. 10/771,622; Filed February 5, 2004
Patent No. 6,998,128; Issued February 14, 2006
Our File 048057/276007

Sir:

It is respectfully requested that a Certificate of Correction be issued for the above-identified patent, in accordance with 37 C.F.R. §1.322. This request is made in order to correct the mistakes incurred through the fault of the United States Patent and Trademark Office ("USPTO").

The mistakes appearing in the patent are set forth on the Certificate of Correction enclosed herewith, with an additional copy thereof and a postal card being enclosed in accordance with the present USPTO practice.

Respectfully submitted,



Christopher M. Humphrey
Registration No. 43,683

CMH:mf
Enclosures
CLT01/4802489v1

MAR 27 2006

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,998,128 B2
DATED : February 14, 2006
INVENTOR(S) : Haggard et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 9,

Line 1, "or" should read --of--;
Line 17, "steroid" should read --steroidal--;
Line 27, "al" should read --at--;
Line 30, "die" should read --the--;
Line 42, "or" should read --of--;
Line 61, "m₂/g" should read --m²/g--.

Column 10,

Line 31, "μ1" should read --μm--.

6,998,128 B2

PATENT NO. _____

MAILING ADDRESS OF SENDER:

ALSTON & BIRD LLP
Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
Tel Charlotte Office (704) 444-1000

No. of add'l. copies
@ 30¢ per page



MAR 27 2006

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,998,128 B2
DATED : February 14, 2006
INVENTOR(S) : Haggard et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 9.

Line 1, "or" should read --of--;
Line 17, "steroid" should read --steroidal--;
Line 27, "al" should read --at--;
Line 30, "die" should read --the--;
Line 42, "or" should read --of--;
Line 61, "m₂/g" should read --m²/g--.

Column 10.

Line 31, "μ1" should read --μm--.

6,998,128 B2

MAILING ADDRESS OF SENDER:

PATENT NO. _____

No. of add'l. copies
@ 30¢ per page



ALSTON & BIRD LLP
Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
Tel Charlotte Office (704) 444-1000

FORM PTO 1050 (REV. 3-02)

MAR 27 2006